



SECTION I: PRODUCT INFORMATION

PRODUCT: **Sika®-Slick**REVISION DATE: February 1st, 2012

USAGE :

MANUFACTURER/SUPPLIER: SIKA CANADA INC.
601, avenue Delmar
Pointe Claire, QC
H9R 4A9

EMERGENCY TELEPHONE NUMBER: **CANUTEC (collect) (613) 996-6666**

TDG CLASSIFICATION: Not regulated

WHMIS Classification: Not regulated

UN NUMBER: Not established

Class: Not applicable

Packaging Group:

Not applicable

SECTION II: HAZARDOUS INGREDIENTS

Hazardous ingredients	%	T.L.V.	# CAS	LD ₅₀ (species, route)	LC ₅₀ (species, route)
None					

SECTION III: PHYSICAL CHARACTERISTICS

Physical State: Liquid
Appearance and Odor: Clear liquid, no odor
Odor Threshold: Not established
Evaporation Rate: <1 (water)
Vapor Density: <1 (water)
Vapor Pressure: 17 mm (20°C)

Boiling Point: 100°C
Freezing Point: 0°C
Density: 1,0 g/ml
Water Solubility: Yes
pH: 6 - 8
% volatility: > 80
Water/Oil Distribution: Not Established



PRODUCT: Sika®-Slick

SECTION IV: FIRE AND EXPLOSION HAZARDS

Flammability:	No	TDG Flammability Class:	Not regulated
If Yes, under what conditions:		Flammable upper limits (% vol.):	Not established
Extinguishing methods:	Foam, dry chemical product, CO ₂ , water hose.	Flammable lower limits (% vol.):	Not established
Special Methods:	Firefighters must wear their usual protection equipment and respiratory equipment. The water hose could be used to cool down the containers and to dissipate the vapors over the spill.	Flash Point (method used):	Not established
		Auto-ignition temperature:	Not established
		Dangerous Combustion Products:	Carbon oxides.
		Protect from mechanical impact:	No
		Protect from static discharge:	No

SECTION V: REACTIVITY DATA

Chemical stability:	Yes	Dangerous decomposition products:	Carbon oxides
If not, under what conditions:			
Incompatibility with other material:	No	Polymerization Risks:	No
If Yes, which ones:			



PRODUCT: **Sika®-Slick**

SECTION VI: TOXIC PROPERTIES

ROUTE OF ENTRY / CONTACT

Eyes: May cause eye irritations.

Skin: May cause skin irritation but generally does not.

Inhalation: May cause irritation to the lungs.

Ingestion: May cause irritation to the gastro-intestinal system and health disorders.

Carcinogenicity: Not established

Toxic effects on reproduction: Not established

Teratogenicity: Not established

Mutagenicity: Not established

Product with synergistic effects: Not established

An acute or chronic exposure will increase the toxic effects mentioned in this section and may aggravate respiratory problems.



PRODUCT: Sika®-Slick

SECTION VII: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves: Not necessary.

Respiratory equipment: Not necessary.

Eyes: Safety glasses

Shoes: Ordinary

Clothing: Rubber apron

Other: No

OTHERS

Ventilation: Sufficient ventilation required.

Procedure in case of leaks: Absorb with sand and other absorbent material.

Handling and Equipment method: Avoid skin, eye and clothing contact.

Warehouse Requirements: Keep all containers closed in a cool, dry area. Protect from freezing.

Special Shipping Instructions: Protect from freezing.

Waste Disposal: Dispose of sand and water according to municipal, provincial and federal laws on chemical waste.



PRODUCT: Sika®-Slick

SECTION VIII: FIRST AID

- Skin : Remove and clean all contaminated clothing. Wash with soap and water the exposed areas. Consult a physician if necessary.
- Eyes : Clean with water for at least 15 minutes. Consult a physician if necessary.
- Inhalation : In the case of overexposure, evacuate to fresh air. Consult a physician if needed.
- Ingestion : Do not induce vomiting. Drink plenty of water. Do not give anything by mouth to an unconscious person. Consult a physician.

SECTION IX: PREPARATION INFORMATION

Prepared By: The Laboratory, Research and Development Department of Sika Canada Inc.
 Telephone #: (514) 697-2610
 Fax #: (514) 694-2792

Notice To Reader

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.