SECTION I: PRODUCT INFORMATION

PRODUCT: **SikaTack®-Drive (new formulation)** REVISION DATE: January 15th, 2015

USAGE: ONE COMPONENT URETHANE BASED ADHESIVE

MANUFACTURER/SUPPLIER: SIKA CANADA INC.

601, avenue Delmar Pointe Claire, QC

H9R 4A9

EMERGENCY TELEPHONE NUMBER: CANUTEC (collect) (613) 996-6666

TDG CLASSIFICATION: Not regulated WHMIS Classification: D2A, D2B UN NUMBER: Class: Not applicable

Packaging Group: Not applicable

SECTION II: HAZARDOUS INGREDIENTS					
Hazardous ingredients	%	T.L.V.	# CAS	LD ₅₀ (mg/kg) (route, species)	LC ₅₀ (species, route)
POLYOL AND ISOCYANATE PREPOLYMER	30-60	Not Established	Not Available	Not Established	Not Established
CARBON BLACK	10-30	Not established	1333-86-4	Not established	Not established
METHYLENE BIS PHENYL ISOCYANATE	0,1-1,0	ACGIH 0,005 ppm	101-68-8	31 600 (oral, rat)	369mg/m ³ /4H

SECTION III: PHYSICAL CHARACTERISTICS

Physical State: Paste Boiling Point: Not Established

Appearance and Odor: Aromatic odor black paste Freezing Point: Not Established

Density: 1.2 g/ml

Odor Threshold: Not Established Water Solubility: Not Established Evaporation Rate: Not Established pH: Not Established

Vapor Density: Not Established % volatile: < 3

Vapor Tension: Not Established Water/Oil Distribution: Not Established



PRODUCT: SikaTack®-Drive (new formulation)

SECTION IV: FIRE AND EXPLOSION HAZARDS

Flammability: No

If Yes, under what conditions:

Extinguishing methods: Foam, dry chemical

products, CO₂, water for

large flames.

Special Methods: Firefighters must wear

complete protective clothing with respiratory equipment and they must protect any exposed skin. Heated isocyanates react

strongly with water.

TDG flammability Class:

Flammable upper limits (% vol.): Flammable lower limits (% vol.): Flash Point (method used):

Auto-ignition temperature:

Dangerous Combustion Products:

Not regulated Not Established Not Established > 93°C (TCC) Not Established Carbon oxides,

Nitrogen oxide.

Protect from mechanical impact: No

Protect from static discharge: No

SECTION V: REACTIVITY DATA

Chemical stability: Yes

If not, under what conditions:

Dangerous decomposition products:

Carbon oxides,

Nitrogen oxide.

Incompatibility with other material: Yes

If Yes, which ones: Acid, strong

oxidizer, amine.

Polymerization Risks:

No



SikaTack®-Drive (new formulation) PRODUCT:

SECTION VI: TOXIC PROPERTIES

ROUTE OF ENTRY / CONTACT

Eyes: Irritating. Carcinogenicity: Carbon Black is a

possible carcinogen

Skin: Irritating. Contact may result in

dermatitis, allergic reactions, and

sensitization.

Inhalation: Vapor or mist from this product

may cause irritation.

Ingestion: May cause nausea, vomiting,

fainting, diarrhea, lung damage,

G.I. system disorder, constipation, ulcers.

(according to the IARC)

Toxic effects

on reproduction: Not Established

Teratogenicity: Not Established

Mutagenicity: Not Established

Product with synergistic

effects: Not Established

Over exposure may cause breathing difficulties, sensitization, headaches, nausea, vomiting. May aggravate respiratory, skin, eye, lung problems and allergies. A person who is allergic to isocyanate may have a reaction with a level of isocyanate well below the T.L.V.

An acute or chronic exposure will increase the toxic effects mentioned in this section and may aggravate respiratory problems. An overexposure may cause death.



PRODUCT: SikaTack®-Drive (new formulation)

SECTION VII: PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT

Gloves: Use chemical resistant gloves.

Respiratory equipment: Not necessary under normal use.

Eyes: Full-face mask or safety glasses

Shoes:

Clothing: Rubber Apron

Other: Eye wash station, shower

OTHERS

Ventilation: Sufficient ventilation required

Procedure in case

of leaks: Absorb with sand or other

absorbent material.

Handling and Equipment

methods: Avoid skin, eye and clothing

contact

Warehouse

Requirements: Keep all containers closed in a

cool, dry area. Keep away from

heat and open flame.

Special Shipping

Instructions: See TDG class

Waste Disposal: Dispose of sand and

rinse water according to municipal, provincial or federal laws for disposal of chemicals.



PRODUCT: SikaTack®-Drive (new formulation)

SECTION VIII: FIRST AID

Skin : Remove contaminated clothing and shoes.

Wash immediately with plenty of water.
Wash clothing before re-wearing.
Consult a physician if required.

Eyes : Rinse eyes immediately with plenty of water for several minutes to ensure a proper

wash.

See a physician immediately.

In the case of overexposure, evacuate to fresh air.

Consult a physician if required.

Ingestion : Drink plenty of water. Do not induce vomiting.

Do not give anything by mouth to an unconscious person.

See a physician immediately.

SECTION IX: PREPARATION INFORMATION

Prepared By: R & D of Sika Canada Inc.

Telephone #: (514) 697-2610 Fax #: (514) 694-2792

Notice To Reader

The information contained in this Material Safety Data Sheet applies only to the actual Sika Canada product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Material Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section IX of this MSDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sika.ca or 514-697-2610.

AQ 191 A Date: 2012/02/01 App: S.G